

NAUTITECH 44 OPEN
TECHNICAL STANDARD SPECIFICATIONS
1ST OF JULY 2021



TECHNICAL DATAS

Length overall	13,30 m / 43'8
Length waterline	13,02 m / 42'9
Beam overall	7,36 m / 24'2
Draft	1,44 m / 4'9
Unloaded weight (approx.)	10,7 t / 23 594 lbs
Engine, drive	Diesel, Saildrive
Engine power	2 x 30hp Volvo Penta
Fuel tank	2 x 250 / 2 x 66 gal
Water tank	2 x 300L / 2 x 79 gal
Cabins - Heads, standard	2 to 4
Berths, standard version	4 to 8
Full batten mainsail, standard	72,5 m ² / 780 sq ft
Self-tacking jib, standard	33,6 m ² / 362 sq ft
Height of mast above water line (approx.)	21,4 m / 70'3
Architect	Marc Lombard
Interior Design	Christophe Chedal Anglay
CE-Certification Category A (10 Pers.)	
CE-Certification Category B (10 Pers.)	
CE-Certification Category C (22 Pers.)	
CE-Certification Category D (22 Pers.)	



CONSTRUCTION

Hull and Deck made of fibreglass and polyester sandwich infusion - VacuTec process ■
Hull and Deck in gelcoat white ■
Gold stripe on hull ■
Keel in GRP laminated and bonded to hull ■
4 x Double Hull windows including opening porthole ■

RIG AND DECK HARDWARE

Aluminium deck stepped mast, anodised, with two spreaders sets ■
Aluminium boom, anodised ■
Running rigging ■
Mainsheet traveller on the coachroof ■
3 x Lewmar Evo aluminium winches 2-gear, self-tailing in cockpit ■
2 x Winches handles and pockets ■

SAILS

Full battent mainsail (3 reef lines), Dacron ■
Self-tacking Solent in Dacron, incl. UV protection stripe ■

DECK/ STERN PLATFORM

Guardrail on hull sides with stainless steel wires ■
2 x Forward pulpits with seats in inox ■
6 x Mooring cleats, aluminium ■
Anodised aluminium forward beam ■
Two polyester bow net lashed to hull and front beam ■
Bow anchor locker and storage ■
10 x openable deck hatches ■
Aft pushpits ■
2 x stainless steel handrails on stern ■
2 x Engine compartment hatches ■
Foldable bathing ladder on portside ■

COCKPIT / TRANSOM

Spacious open style cockpit protected by the roof, 3 large benches on starboard, portside and stern, with storage lockers (portside locker aimed for the liferaft equipment) ■
Storage locker in portside (fridge option) ■
Teak grating in HPL teak over cockpit drainage ■
Double helm station with black silicone covered steering wheels ■
Two helm seat in inox ■

COACHROOF

2 stainless steel handrails on coachroof ■
Top zenithal window in coachroof ■

PROPULSION / STEERING

Soundproofing in engine compartments ■
2 x 30hp diesel engines Volvo Penta (Saildrive) ■
Diesel gauge ■
Alternators 115Ah (1 x per engine) ■
2 x 3-blade fixed aluminium propellers ■
GRP rudders with stainless steel stock ■
Emergency tiller ■

ELECTRICAL MANAGEMENT SYSTEM

1 X 12V / 140Ah services batterie ■
2 X 12V / 90Ah engine batteries (no maintenance) ■
12V Electrical panel in the portside engine compartment ■
Gauge for service battery bank ■

LIGHTS

LED navigation lights and anchor light ■
LED ceiling lights in cabins, galley and cockpit ■

PLUMBING

2 x 54L holding tanks (one per hull)
2 x 300L freshwater tanks
Warm water boiler via engine-cooling, 40L
Freshwatersystem with electrical pressure pump
Indicator for freshwater
Electric and manual bilge pumps in both hulls
Electric bilge pumps in both engine compartments



INTERIOR LAYOUTS

Available Versions

3 Cabins - Owner Version



4 Cabins



2 Cabins + MY SMART ROOM



3 Cabins + MY SMART ROOM



Generalities

Interior woodwork in Alpi Walnut oak
Resopal Elm Flooring
Gel coat - white
Headliner Silvertex ICE
Vertical & horizontal roof top frame, Silvertex macadamia
Saloon baseboard, black



Saloon

Comfortable saloon area in L shape
Chart table
Fabric upholstery
Storage under the seats
Mast pillar black leather covered
Stainless steel handrail
Double sliding doors, Lockable
Deckhouse windscreen with 2 integrated hatches

■
■
■
■
■
■
■

Galley

Multiple storage cupboards
Large worktop, white resin
2-drawer stainless steel fridge, 144L starboard
3 burner gas stove
Separate Gas oven
Double sink with mixer tap
Waste bin

■
■
■
■
■
■
■

Cabins

Aft cabins with Double bed (160*200cm)
Forward cabins with Double bed (150*195cm)
Mattresses Light Grey with washable cover
Bed Surround, Head Board, Macadamia silvertex
Underbed storage
Storage locker in hull passageway
Several spacious lockers and shelves for storage
LED reading lights 12V headboard
Opening portlight in hull window (1 per cabin)
Opening deck hatch (1 per cabin)
Opening porthole in aft cabins above bed heads

■
■
■
■
■
■
■
■
■
■
■

Owner Cabins equipment (in addition to above cabin description)

Access from the saloon through a sliding door
Lounge area with a sofa and storage
Large lockers with three doors
Opening deck hatch

■
■
■
■

Head stb

Sink with mixing tap
White resin worktop
Cabinet for storage
Towel rail
Mirror
Pump-toilet, manual (sea water)
Opening portlight in hull window
Opening deck hatch

■
■
■
■
■
■
■
■

Owner head

Separate shower cabin
White resin worktop
Sink with mixing tap
Mirrors with integrated storage
Large cabinets for storage
Towel rail
Separate toilet
Pump-toilet, manual (sea water)
Opening portlight in hull window
Opening deck hatch

■
■
■
■
■
■
■
■
■
■

Passage way

Storage cupboards

■

All weights and measurements are calculations based upon construction documents. The brochure is intended for advertisement only and is not part of a contract, warranty or of an offer. We reserve the right to modify or improve our products and to change specifications without notice. We are not liable for errors and printing mistakes. All rights are reserved to execute alterations in construction and equipment without notice. Aforementioned prices are recommended sales prices for deliveries ex works within 4 months of order placement. Later deliveries are subject to invoicing according to the then valid price list.

Version 02/2021 - Valid as of AUGUST 11TH 2021

Date of issue : AUGUST 11TH 2021 - the previous price list loses its validity.

