

NAUTITECH 47 POWER

TECHNICAL STANDARD SPECIFICATIONS JANUARY 1ST 2021



TECHNICAL DATAS

Length overall	14,23 m / 46'8"
Length waterline	14,16 m / 46'6"
Beam overall	7,54 m / 24'9"
Draft	1,20 m / 3'11"
Displacement, light	14,31 t / 31 545 lbs
Engine, drive	Diesel, V-Drive
Engine power	2 x 225hp Volvo Penta
Fuel tank	2 x 645L / 2 x 170 gal
Water tank	2 x 300L / 2 x 79 gal
Cabins - Heads	3 to 4
Berths	6 to 8
Naval Architect	Marc Lombard
Interior Design	Nautitech Catamarans

CONSTRUCTION

Hull and deck made of fibreglass and polyester sandwich infusion	■
Hull and Deck in gelcoat white	■
Coachroof white with grey covering	■
Gold stripe on hull	■
Keel in GRP laminated and bonded to hull	■
4 x Double hull windows including opening porthole	■
4 x Hull windows including opening porthole	■

DECK/ STERN PLATFORM

Stainless steel guardrail on deck sides
Handrails on coachroof
2 x Forward pulpits with seat in teak
6 x mooring cleats, aluminium
Anodised aluminium forward beam with integrated anchor roller (on longitudinal beam)
Front lounge (GRP bassins)
Black polyester safety net laced to hull and front beam
Bow anchor locker and storage
10 x openable deck hatches
Aft pushpits
2 x stainless steel handrails on stern
2 engine compartment hatches
Swimm ladder on starboard transom



COCKPIT / TRANSOM

Spacious open style cockpit, 2 large benches on starboard and portside
Cockpit table in GRP 10 pers (1,73m X 0,79m)
Teak grating over cockpit drainage
Storage Locker
3 x large cockpit lockers
Liferaft locker in the aft beam



FLYBRIDGE

Access from cockpit, portside via stairs
Stainless steel handrails around the flydeck
Helm station with compass and wheel
Volvo electric levers for engines control
Helmsman seat with 2 positions
U-Shaped settee
PMMA windshield with door to access to the front sunbath
Front sunbathing area
Nav-light and communication on GRP arch



PROPULSION

Soundproofing in engine compartments
2 x 225hp diesel engines Volvo Penta (V-drive)
2 x 645 L fuel tank
Diesel gauge
Alternators 150Ah (1 x per engine)
2 x 3-blade fixed propellers
GRP rudders with stainless steel stock
Stainless steel emergency tiller



ELECTRICAL MANAGEMENT SYSTEM

140Ah service battery
2 x 90Ah engine battery
12V DC main panel with multifunction display at chart table (gauge & batteries)
230V electrical panel in corridor closet portside



LIGHTS

LED navigation lights and anchor light (flybridge)
LED ceiling light in cabins, bathrooms, saloon and cockpit




PLUMBING

2x 85L Holding tanks (one per hull / 65L in owner cabin)
2x 300L freshwater tank
Pressurised water system
Indicator for freshwater
Warm water boiler via engine-cooling, 60L
Electric and manual bilge pumps in both hulls
Electric bilge pumps in both engine compartments




INTERIOR LAYOUTS

4 Cabins - 4 Heads



3 Cabins - 3 Heads



Generalities

Interior woodwork - Walnut style
Floor - Magas Oak
Saloon baseboard - Black matt
Fabric covered ceiling - Ice
Vertical roof frame - Black gelcoat

Saloon

Comfortable saloon area with u-shape sofa on port
Storage under the seats
Nav station on starboard side with dedicated seat
Fabric upholstery
Fixe wooden table
Stainless steel handrail, black leather covered
Double sliding doors, Lockable
Deckhouse windscreen with 2 integrated hatches



Galley

Starboard

U-shape galley
Numerous storage cupboards
Large worktop white
Top loading fridge 85L
4 burner gas stove
Gas oven
Double sink with mixer tap
Waste bin



Portside :

Full heigh fridge integrated in a furniture (325L)
Sliding storage



Cabins

Aft cabins with double bed (160*200cm)
Forward cabins with double bed (140/165*200cm)
Mattresses, grey, 110mm thickness
Fabric covered finish at bed front
Underbed drawer
Several lockers and shelves for storage
Wall unit
Shelves inboard side
Side lining, fabric covered ICE
12V LED reading lights headboard
Opening portlight in hull window (1 per cabin)
Opening deck hatch (1 per cabin)
Opening porthole in aft cabins above bed heads
Blinds for hull windows



Owner Cabin equipment (in addition to above cabin description)

Access from the saloon through a sliding door
Working area : desk with seat
Large lockers with three doors
Opening deck hatch



Head (1 per cabin)

Separate shower cabin (incl. mixing tap and support)
Sink with mixer tap
Black worktop (standard HPL compact)
Cabinet for storage
Towel rail
Mirror
Pump-toilet, manual
Opening portlight
Opening deck hatch



Owner head

Separate shower cabin (incl. mixing tap and support)
Double sink with mixer tap
Large cabinets for storage
Black worktop (standard HPL compact with kerrock fiddle)
Mirrors with integrated storage
Towel rail
Separate toilet
Pump toilet, manual
Opening portlight
2 x Opening deck hatches



Passage way

Storage cupboards *(optional space for washing machine / Icemarker / wine cella on port)*



All weights and measurements are calculation based upon construction documents. The brochure is intended for advertisement only and is not part of a contract, warranty or of an offer. We reserve the right to modify or improve our products and to change its specifications without notice. We are not liable for errors and printing mistakes. All rights are reserved to execute alterations in construction and equipment without notice. Aforementioned prices are recommended sales prices for deliveries ex works within 4 months of order placement. Later deliveries are subject to invoicing according to the then valid price list.

Version 1/2021 - Valid as of JANUARY 1ST 2021

Date of issue : JANUARY 1ST 2021 - the previous price list loses its validity

